

MATERIAL (1) 4X4X12' POST TRT'D (5) 8X8 CONCRETE BLOCK (12) 2X8X12' WOOD JOISTS @ 16" O.C. TRT'D (5) 2X6X8' WOOD JOISTS @ 16" O.C. TRT'D (6) ⁵/₄"X6X8' WOOD **DECKING FOR BENCH** $(9)\frac{5}{4}$ "X6X8' WOOD 4x8 $\frac{1}{2}$ " PLYWOOD DECKING FOR SHED $(33)\frac{5}{4}$ "X6X12' WOOD DECKING (2) DOUBLE JOIST HANGERS FOR 2X6 (26) JOIST HANGERS FOR 2X8 AND 2X6 SLOPE 3:12 (5) 2X4X6' RAFTERS @ 24" O.C. (45) $3\frac{1}{2}$ " SDS SCREWS @ 6" O.C. STAGGERED (6) 4X8 COMPOSITE 540 DECK SCREWS PANEL SIDING (6) 2X4X8' TREATED BRACING FOR BENCH (22) 2X4X8' (5) 2X4X6' @ 24" O.C. 4'-0 7/8" **RAFTERS** (6) 4X8 COMPOSITE PANEL SIDING (22) 2X4X8' 45-50 SQ. FT. SHINGLES (6) 2X4X8' TREATED **BRACING DECK SECTION** (2) 2X8 12'-0" 4'-0" (1) 4X4X12' POST SET IN-QUICKCRETE. ATTACH TO (5) 2X6X8' WOOD RIM JOISTS W/ (2) $\frac{1}{2}$ " BOLTS, JOISTS @ 16" O.C. XTEND BEYOND DECK BY 3' (5) 8X8 CONCRETE **BLOCK** (12) 2X8X12' WOOD JOISTS @ 16" O.C. ATTACH 2X6 BEAMS W/ (2) DOUBLE JOIST **HANGERS** 12'-0" $(6)^{\frac{5}{4}}$ "X6X8' WOOD DECKING FOR **BENCH** ATTACH 2X8 $(33)^{\frac{5}{4}}$ "X6X12" JOISTS W/ (26) WOOD DECKING JOIST HANGERS 2X8 LEDGER ATTACHED PERIMETER : W/ 3 1 SDS SCREWS @ 6" BENCH O.C. STAGGERED **DECK FRAMING PLAN**

